

FAYE, 28

NEVER-SMOKER

SYMPTOMS:  
BACK PAIN, PERSISTENT COUGH

DIAGNOSIS:  
STAGE IV LUNG CANCER



### Faye isn't alone.

Unfortunately, 57% of lung cancers aren't diagnosed until stage IIIb or IV. Symptoms can include a persistent cough, breathlessness, recurrent chest infections, back or shoulder pain, hoarseness or swelling in the face or neck. If you see persistent or unexplained symptoms, please consider a CXR or referral on the Lung Cancer Pathway.


For more information: [lungcancerseethroughthesymptoms.uk](http://lungcancerseethroughthesymptoms.uk)

Regd. lung cancer charities



---

RAZIA, 37  
NEVER-SMOKER  
SYMPTOMS:  
PERSISTENT CHEST & RIB PAIN  
DIAGNOSIS:  
STAGE IV LUNG CANCER



**Razia isn't alone.**


Unfortunately, 57% of lung cancers aren't diagnosed until stage IIIb or IV. Symptoms can include a persistent cough, breathlessness, recurrent chest infections, back or shoulder pain, hoarseness or swelling in the face or neck. If you see persistent or unexplained symptoms, please consider a CXR or referral on the Lung Cancer Pathway.

For more information: [lungcancerseethroughthesymptoms.uk](http://lungcancerseethroughthesymptoms.uk)

Regd. lung cancer charities



DEBBIE, 46  
NEVER-SMOKER  
SYMPTOMS:  
SWELLING IN NECK  
DIAGNOSIS:  
STAGE IV LUNG CANCER



**Debbie isn't alone.**

Unfortunately, 57% of lung cancers aren't diagnosed until stage IIIb or IV. Symptoms can include a persistent cough, breathlessness, recurrent chest infections, back or shoulder pain, hoarseness or swelling in the face or neck. If you see persistent or unexplained symptoms, please consider a CXR or referral on the Lung Cancer Pathway.

For more information: [lungcancerseethroughthesymptoms.uk](http://lungcancerseethroughthesymptoms.uk)

Regd. lung cancer charities



JABER, 37  
NEVER-SMOKER  
SYMPTOMS:  
PERSISTENT COUGH,  
BREATHLESSNESS  
DIAGNOSIS:  
STAGE IV LUNG CANCER



**Jaber isn't alone.**

Unfortunately, 57% of lung cancers aren't diagnosed until stage IIIb or IV. Symptoms can include a persistent cough, breathlessness, recurrent chest infections, back or shoulder pain, hoarseness or swelling in the face or neck. If you see persistent or unexplained symptoms, please consider a CXR or referral on the Lung Cancer Pathway.

For more information: [lungcancerseethroughthesymptoms.uk](http://lungcancerseethroughthesymptoms.uk)

Regd. lung cancer charities



---

PETE, 50  
NEVER-SMOKER  
SYMPTOMS:  
RECURRENT CHEST INFECTIONS  
DIAGNOSIS:  
STAGE IV LUNG CANCER



**Pete isn't alone.**

Unfortunately, 57% of lung cancers aren't diagnosed until stage IIIb or IV. Symptoms can include a persistent cough, breathlessness, recurrent chest infections, back or shoulder pain, hoarseness or swelling in the face or neck. If you see persistent or unexplained symptoms, please consider a CXR or referral on the Lung Cancer Pathway.

For more information: [lungcancerseethroughthesymptoms.uk](http://lungcancerseethroughthesymptoms.uk)

Regd. lung cancer charities

